

## Directions for the APLUS Online Quote Configurator Directions

- ⤴ Please open a new internet explorer web browser and **enter the following address:** [www.allianceelevator.net](http://www.allianceelevator.net).
- ⤴ This screen is the login screen, which you are familiar with. **Please enter your login/username and password**, please keep in mind your login is case sensitive. Please login as if you are generating a quote.




APLUS Configurator

EMAIL ADDRESS

PASSWORD


Log In

- Once you have successfully logged onto our website, you will see the page similar to this (please view the picture above.) This page displays your “Home Page” including all the quotes you have completed.



- Please be sure to click on the “New Quote”

## Step 1

Progress: 

**Step 1: Select the type of jack your project requires**  
Please enter your job information into the following screens to build your quote:

**Product Category**  
Hydraulic (ADVANTAGE) ▼

**Standard Features (Base)**

Jack Type  
 Holeless  Inground

Stops  
2 Stops ▼

Opening  
Front ▼

**Step 2: Select the capacity per your project specifications**

Capacity  
2100 lbs ▼

Next Step

- Choose Product Category
- Choose your base package options, once complete hit “Next Step”

# Step 3

▲ Verify the standard ADVANTAGE package components.

## Step 3: Verify the standard ADVANTAGE package components

View Your Base Product Below

### 2 Steps

ADV2100SHJ0

No. of Stops: 2

Advantage Package 2100 lbs. Single Stage Holeless Jack

Platform Size: 6'0" X 5'1"

Hatch Size: 7'4" X 5'9"

Door Type & Size: SSSO 36" X 84" Standard Package: 100 FPM/20 HP Motor (125 FPM/30 HP Motor) Hospital Stretcher sized car: No

### Specification for Standard Base Price (Base Price Includes the Following Features & Materials)

Code: ANSI 2007 Non-Seismic

Lin Voltage: 208, 240, 480; 3PH / 60HZ

#### Hoistway Structural Equip:

TEE Rail w/Std Splice Plates  
Rail Brks: Pre Assembled w/Hardware  
Swivel Shoe Guides  
Pit Template / Buffer Stands  
Sling & Platform w/Toe Guard  
Platform w/2 layers Plywood/Firesield  
Jacks / Mounting Brks / Jacks Drain Tube

#### Door Operator & Door Equipment:

Linear Operator  
Door Tracks, Hangers, Interlocks  
Door Detector w/Plug in Adaptor

#### Wiring Package:

Serial Link w/traveler & Cat 5 Cables  
Plug in Interface Throughout  
All Duct, Conduit, Boxes, Fittings & Wire

#### Installation Kit:

Installation Manual  
X-Head Data Plate / Buffer Data Plates

#### Power Unit:

Submersible w/LH Discharge Maxton Valve  
Imperial Motor  
IMO Pump  
Low Pressure Switch  
Premounted & Pre-Wired Controller

#### Controller:

Smartrise w/Serial Link Communication  
Across the Line Starter  
Car Top Station Included  
Tape Selector IP-8300  
Independent Service, Nudging, Inspection

#### Entrances:

Bolted Tower Design, Groutless Sills  
Bolted, Enamel Finish, up to 8" Thick Wall  
Aluminum Sills

#### Piping Package (2"):

Schedule 40 Oil Line Pre-Cut & Grooved  
Victaulic 90 degree Elbows  
Victaulic Couplings  
Victaulic Tee  
(3) Shutoff Ball Valve  
(2) Pipe Stands

#### Fixtures:

#4 St/Stl Stationary COP w/Digital PI  
Pre-Wired COP w/Serial Interface  
Fireman Phone Communication Jack in COP  
Car Lantern  
Flush Hall Stations w/Fire & Access  
Jamb Braille Plates

#### Cab:

#4 St/Stl Front w/ 16 ga. Black Enamel Steel Walls  
14 ga. White Enamel Steel Canopy  
Escape Hatch Switch Included  
Fluorescent Lights on Canopy  
Drop Ceiling w/ Thermoclear Panels  
½" x 2" #4SS (Rear Wall Only)  
Fan  
Aluminum Sill

Next Step

▲ Click on "Next Step"

# Step 4

## Step 4: Enter the Project name and Preferred Shipping method

**Advantage Package 2100 lbs. Single Stage Holeless Jack**

**ADV2100SHJ0 - 2 Stops** **\$27,156.24**

PROJECT

WHO DO YOU WANT TO HANDLE FREIGHT?

I'd like Alliance To Handle The Freight

If we will be handling the freight for you, please call our logistics office for pricing. They can be reached at 888-960-5596.

- ⤴ Review Base Price and enter Project Name.
- ⤴ Determine who is handling the freight of the package.

# Step 5

## Step 5: Choose additional elevator options, per project specifications

### Extended Travel (2100 or 2500 lbs.)

- 7'-6" Ext. Travel on 2 Stage 31'-10" Max Rise ?
- 2' Ext. Travel for Single Stage - 15' Max Rise ?


### Elevator Hoistway Options

- Dielectric Coupling \$166.40 per car
- Isolation Coupling
- Scavenger Pump W/ 50ft Cop Tub
- Pit Ladder

### Elevator Power Unit

- Jacks Filled w/Veg. Oil ?
- Shut off Valve, Threaded in Tank ?
- Power Unit (125 FPM) ?
- Single Phase Power ?
- 120 Starts Per Hour \$170.00 per car
- Load Weight Pressure Switch Loaded Car Bypass
- Oil Cooler (air)

- ⤴ Choose required options. **\*\*Note: Read through specifications thoroughly to ensure all options are chosen.\*\***

- Once all options are chosen click on **“Get Quote”**  **Note:** **Quotes cannot be edited beyond this step.**
- Verify: Overhead, Pit Depth and Max Travel. If all measurements are within specifications, check **“Yes, I’ve checked my information, let’s continue.”**

Please verify!

Please verify the following information:

1. Min Overhead is 12 feet 6 inches.
2. Pit Depth is 4 feet
3. Max Travel is 13 feet 6 inches.

If your elevator needs fall outside of these specifications, please contact an Alliance team member at 888 960 5597 or [sales@allianceelevator.net](mailto:sales@allianceelevator.net).

**Yes, I've checked my information, let's continue.**

close

## Step 6


### Step 6: Verify quote and print

Quote Number: 9304

Project:  
Freight: AES

Item No	Description	Price	Qty	Line Total
ADV2100SHJ0	Advantage Package 2100 lbs.	\$27,156.24	1	\$27,156.24
PIP1000CUPO	Dielectric Coupling	\$166.40	1	\$166.40
PWR1000SPC2	120 Starts per Hour	\$170.00	1	\$170.00

Total: \$27,492.64

 Print Quote

- Verify quote and print, Click on **“Print Quote”**.

# Review Quote Detail and Print

## Quote Detail -

**ALLIANCE**  
ELEVATOR SOLUTIONS

237 Oregon Street  
Mercersburg, PA 17236 US  
Phone: 717-498-0048  
Email: thall@allianceelevator.net

**Quote No**  
9304

**Quote Date**  
Dec 17, 2015  
(Quote good for 60 days)

Page | 6



Dear Alliance Elevator Customer,  
This document outlines the details of your quote, based upon the information you submitted, this may be subject to change or fluctuation depending on actual project specifications upon time of order. Please review the information presented here and advise us of any errors you notice or disagreements you have at your earliest convenience. For fastest service, write or call us at the address and phone number printed above. Please refer to our Quote Number in all correspondence.

### Customer Information:

Travis Hall  
237 Oregon Street  
Mercersburg, PA 17236  
(717) 816-8429

### Specification for Standard Base Price (Base Price Includes the Following Features & Materials)

Code: ANSI 2007 Non-Seismic  
Lin Voltage: 208, 240, 480; 3PH / 60HZ

Hoistway Structural Equip:

Power Unit:

Fixtures:

**This Concludes Directions. If you have any questions please contact the Alliance Sales Team at: [Sales@AllianceElevator.net](mailto:Sales@AllianceElevator.net) or 888 960 5596.**